



Certificate of Analysis

Compliance Test

Client Information:

NOT YOUR BAKERY

150 NW 16th St.

Boca Raton, FL 33432

Order # NOT250528-230001

Order Date: 2025-05-28

Sample # AAGT539

Batch # J-8279

Batch Date: 2025-05-14

Extracted From: Hemp

Test Reg State: Georgia

Sampling Date: 2025-05-30

Lab Batch Date: 2025-05-30

Completion Date: 2025-06-18

Initial Gross Weight: 152.200 g

Number of Units: 1

Net Weight per Unit: 7000.000 mg

Sampling Method: MSP 7.3.1



Product Image



**Potency
Tested**

HHCP

Tested



**Pathogenic Microbiology
Passed**



**Heavy Metals
Passed**



**Mycotoxins
Passed**



**Pesticides
Passed**



**Residual Solvents
Passed**



**Microbiology
Passed**



**Filtration and Foreign
Passed**

Potency (LCUV) (GA) + Potency 25 (LCUV)

Specimen Weight: 207.300 mg

Tested

SOP13.001 (LCUV)



Potency Summary

Total HHC None Detected	Total Active THC None Detected
Total Active CBD None Detected	Total CBG None Detected
Total CBN 0.017% 1.19 mg	Total Cannabinoids 4.665% 326.55 mg
Total DELTA-9-THC None Detected	

Summary Results determined from two distinct Potency Tests - Potency (LCUV) (GA) + Potency 25 (LCUV)

Pieces For Panel: 20

Analyte	Dilution (1:n)	LOD (mg/g)	LOQ (%)	Result (mg/g)	(%)
Delta-8 THC	10.000	2.60E-5	0.015	46.0300	4.6030
CBN	10.000	1.40E-5	0.015	0.1700	0.0170
Delta-8 THCV	10.000	4.00E-5	0.015	0.1700	0.0170
CBT	10.000	2.00E-4	0.015	0.011	0.011
CBL	10.000	3.50E-5	0.015	0.01	0.01
Delta-10 THC	10.000	3.00E-6	0.0015	0.0700	0.0070
CBD	10.000	5.40E-5	0.015	<LOQ	<LOQ
CBDA	10.000	1.00E-5	0.015	<LOQ	<LOQ
CBG	10.000	2.48E-4	0.015	<LOQ	<LOQ
CBGA	10.000	8.00E-5	0.015	<LOQ	<LOQ
Delta-9 THC	10.000	2.80E-4	0.075	<LOQ	<LOQ
Delta-9 THC-O Acetate	10.000	7.70E-5	0.025	<LOQ	<LOQ
Exo-THC	10.000	2.30E-4	0.015	<LOQ	<LOQ
CBC	10.000	2.76E-5	0.075	<LOQ	<LOQ
CBCA	10.000	1.07E-4	0.015	<LOQ	<LOQ
CBDV	10.000	6.50E-5	0.015	<LOQ	<LOQ
CBDVA	10.000	1.40E-5	0.015	<LOQ	<LOQ
CBNA	10.000	9.50E-5	0.015	<LOQ	<LOQ
Delta-8 THC-O Acetate	10.000	2.70E-5	0.025	<LOQ	<LOQ
Delta8-THCP *	10.000	3.75E-4	0.015	<LOQ	<LOQ
Delta9-THCP *	10.000	1.17E-5	0.012	<LOQ	<LOQ
THCA-A	10.000	3.20E-5	0.015	<LOQ	<LOQ
THCB *	10.000	1.80E-4	0.0163	<LOQ	<LOQ
THCH *	10.000	3.50E-4	0.0163	<LOQ	<LOQ
THCV	10.000	7.00E-6	0.015	<LOQ	<LOQ
THCVA	10.000	4.70E-5	0.015	<LOQ	<LOQ
Total Active CBD	10.000			<LOQ	<LOQ
Total Active THC	10.000			<LOQ	<LOQ

Aixia Sun
Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)



Definitions and Abbreviations used in this report: Total Active CBD = CBD + (CBD-A * 0.877), *Total CBDV = CBDV + (CBDVA * 0.867), Total Active THC = THCA-A * 0.877 + Delta 9 THC, Total THCV = THCV + (THCVA * 0.87), CBG Total = (CBGA * 0.878) + CBG, CBN Total = (CBNA * 0.876) + CBN, Total CBC = CBC + (CBCA * 0.877), Total THC-O-Acetate = Delta 8 THC-O-Acetate + Delta 9 THC-O-Acetate, Total THCP = Delta8-THCP + Delta9-THCP, Total Cannabinoids = Total percentage of cannabinoids within the sample. (mg/ml) = Milligrams per Milliliter, LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor, (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram, (µg/g) = Microgram per Gram, (ppm) = Parts per Million, (µg/g), (aw) = Water Activity, (mg/Kg) = Milligram per Kilogram, Client supplied the net weight of mg The results apply to the sample as received.
This report shall not be reproduced, without written approval, from ACS Laboratory The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "*" are not ISO/IEC 17025:2017 accredited test results.



Certificate of Analysis

Compliance Test

Client Information:

NOT YOUR BAKERY

150 NW 16th St.

Boca Raton, FL 33432

Order # NOT250528-230001

Order Date: 2025-05-28

Sample # AAGT539

Batch # J-8279

Batch Date: 2025-05-14

Extracted From: Hemp

Test Reg State: Georgia

Sampling Date: 2025-05-30

Lab Batch Date: 2025-05-30

Completion Date: 2025-06-18

Initial Gross Weight: 152.200 g

Number of Units: 1

Net Weight per Unit: 7000.000 mg

Sampling Method: MSP 7.3.1



Microbiology Pathogenic AE qPCR - (GA)

Specimen Weight: 1010.700 mg

Dilution Factor: 1.000

Analyte	Action Level (cfu/g)	Result (cfu/g)	Analyte	Action Level (cfu/g)	Result (cfu/g)
Aspergillus (Flavus, Fumigatus, Niger, Terreus)	1	Passed	STEC	1	Passed

Passed
SOP13.029 (qPCR)



Microbiology AC TYM BTGN plating - (GA)

Specimen Weight: 990.500 mg

Dilution Factor: 1.000

Analyte	LOQ (cfu/g)	Action Level (cfu/g)	Result (cfu/g)	Analyte	LOQ (cfu/g)	Action Level (cfu/g)	Result (cfu/g)
Bile tolerant gram-negative bacteria	100	1000	<100	Total Yeast/Mold	1000	10000	<1000
Total Aerobic Count	1000	100000	<1000				

Passed
SOP13.003 (Petrifilm)



Filtration and Foreign Material - (GA)

Specimen Weight: N/A Dilution Factor: 1.000

Analyte	Action Level (%)	Result (%)	Analyte	Action Level (%)	Result (%)
Covered Area	10	0.000	Weight %	1	0.000
Feces	0.5	0.000			

Passed
SOP13.020 (Electronic Balance)

Aixa Sun

Lab Director/Principal Scientist

D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "*" are not ISO/IEC 17025:2017 accredited test results.





Certificate of Analysis

Compliance Test

Client Information:

NOT YOUR BAKERY

150 NW 16th St.

Boca Raton, FL 33432

Order # NOT250528-230001

Order Date: 2025-05-28

Sample # AAGT539

Batch # J-8279

Batch Date: 2025-05-14

Extracted From: Hemp

Test Reg State: Georgia

Sampling Date: 2025-05-30

Lab Batch Date: 2025-05-30

Completion Date: 2025-06-18

Initial Gross Weight: 152.200 g

Number of Units: 1

Net Weight per Unit: 7000.000 mg

Sampling Method: MSP 7.3.1



Heavy Metals - (GA) (Edible)

Specimen Weight: 254.400 mg

Passed
SOP13.048 (ICP-MS)

Dilution Factor: 196.541

Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)	Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)
Arsenic (As)	0.013	100	500	<LOQ	Lead (Pb)	0.007	100	500	<LOQ
Cadmium (Cd)	0.003	100	500	<LOQ	Mercury (Hg)	0.016	100	500	<LOQ



Residual Solvents (GA-4)

Specimen Weight: 16.600 mg

Passed
SOP13.039 (GCMS-HS)

Dilution Factor: 1.000

Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)	Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)
Butane	0.4167	53.6	800000	<LOQ	Heptane	0.0013	29.8	500000	<LOQ
Ethanol	0.0021	59.5	5000000	24710.580	Hexane	0.068	25	100000	<LOQ



Mycotoxins - (GA)

Specimen Weight: 607.800 mg

Passed
SOP13.007 (LCMS)

Dilution Factor: 2.470

Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)	Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)
Aflatoxin B1	3.0400E-1	1.9	20	<LOQ	Aflatoxin G2	2.7100E-1	1.9	20	<LOQ
Aflatoxin B2	7.7000E-2	1.9	20	<LOQ	Ochratoxin A	7.5400E-1	3.8	20	<LOQ
Aflatoxin G1	3.0400E-1	1.9	20	<LOQ					

Aixa Sun

Lab Director/Principal Scientist

D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "*" are not ISO/IEC 17025:2017 accredited test results.





Certificate of Analysis

Compliance Test

Client Information:

NOT YOUR BAKERY
150 NW 16th St.
Boca Raton, FL 33432

Batch # J-8279
Batch Date: 2025-05-14
Extracted From: Hemp

Test Reg State: Georgia

Order # NOT250528-230001
Order Date: 2025-05-28
Sample # AAGT539

Sampling Date: 2025-05-30
Lab Batch Date: 2025-05-30
Completion Date: 2025-06-18

Initial Gross Weight: 152.200 g

Number of Units: 1
Net Weight per Unit: 7000.000 mg
Sampling Method: MSP 7.3.1

HHCP HHCP

Specimen Weight: 207.300 mg

Tested
SOP13.050 (LCMS)

Dilution Factor: 1000.000

Analyte	LOD (%)	LOQ (%)	Result (mg/g)	(%) Analyte	LOD (%)	LOQ (%)	Result (mg/g)	(%)
(9R)-HHC	3.6600E-6	0.075	<LOQ	<LOQ CBC	2.760000E-5	0.075	<LOQ	<LOQ
(9S)-HHC	6.6000E-6	0.075	<LOQ	<LOQ Delta-8 THC methyl ether	2.480000E-4	0.075	<LOQ	<LOQ
(±)-9β-hydroxy-HHC	7.7800E-6	0.075	<LOQ	<LOQ Delta-9 THC	2.8000E-4	0.075	<LOQ	<LOQ
1(R)-H4-CBD	7.330000E-7	0.15	<LOQ	<LOQ Delta-9 THC methyl ether	1.600000E-4	0.075	<LOQ	<LOQ
1(S)-H4-CBD	6.630000E-7	0.15	<LOQ	<LOQ H2-CBD	1.440000E-7	0.075	<LOQ	<LOQ
9(R)-HHCP	3.0900E-5	0.075	<LOQ	<LOQ Total HHC		0.075	<LOQ	<LOQ
9(S)-HHCP	2.5500E-5	0.075	<LOQ	<LOQ				

Aixia Sun

Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "*" are not ISO/IEC 17025:2017 accredited test results.





Certificate of Analysis

Compliance Test

Client Information:

NOT YOUR BAKERY
150 NW 16th St.
Boca Raton, FL 33432

Batch # J-8279
Batch Date: 2025-05-14
Extracted From: Hemp

Test Reg State: Georgia

Order # NOT250528-230001
Order Date: 2025-05-28
Sample # AAGT539

Sampling Date: 2025-05-30
Lab Batch Date: 2025-05-30
Completion Date: 2025-06-18

Initial Gross Weight: 152.200 g

Number of Units: 1
Net Weight per Unit: 7000.000 mg
Sampling Method: MSP 7.3.1



Pesticides - (GA)

Specimen Weight: 607.800 mg

Passed
SOP13.007 (LCMS)

Dilution Factor: 2.470

Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)	Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)
Abamectin	3.9900E-1	9.6	100	<LOQ	Fludioxonil	3.6000E-1	9.6	100	<LOQ
Acephate	1.4100E-1	9.6	100	<LOQ	Hexythiazox	1.1300E-1	9.6	100	<LOQ
Acequinocyl	2.1780E+0	9.6	100	<LOQ	Imazalil	2.5800E-1	9.6	100	<LOQ
Acetamiprid	1.4000E-1	9.6	100	<LOQ	Imidacloprid	4.0200E-1	9.6	100	<LOQ
Aldicarb	2.0300E-1	9.6	100	<LOQ	Kresoxim Methyl	1.8200E-1	9.6	100	<LOQ
Azoxystrobin	1.8800E-1	9.6	100	<LOQ	Malathion	2.2300E-1	9.6	100	<LOQ
Bifenazate	8.6000E-2	9.6	100	<LOQ	Metalaxyl	2.7000E-1	9.6	100	<LOQ
Bifenthrin	1.0000E-1	9.6	100	<LOQ	Methiocarb	1.1800E-1	9.6	100	<LOQ
Boscalid	5.9500E-1	9.6	100	<LOQ	Methomyl	6.4000E-2	9.6	100	<LOQ
Carbaryl	1.2200E-1	9.6	100	<LOQ	Mevinphos	9.3000E-2	9.6	100	<LOQ
Carbofuran	8.6000E-2	9.6	100	<LOQ	Myclobutanil	5.7300E-1	9.6	100	<LOQ
Chlorantraniliprole	8.4000E-2	9.6	100	<LOQ	Oxamyl	4.1000E-2	9.6	100	<LOQ
Chlordane	1.9000E+0	9.6	100	<LOQ	Paclobutrazol	1.8600E-1	9.6	100	<LOQ
Chlorpyrifos	1.0900E-1	9.6	100	<LOQ	Permethrin	6.2400E-1	9.6	100	<LOQ
Coumaphos	2.0600E-1	9.6	100	<LOQ	Phosmet	1.2700E-1	9.6	100	<LOQ
Cyfluthrin	9.8000E-1	9.6	100	<LOQ	Piperonylbutoxide	1.4900E-1	9.6	100	<LOQ
Cypermethrin	9.8500E-1	9.6	100	<LOQ	Prallethrin	1.4760E+0	9.6	100	<LOQ
Daminozide	1.6550E+0	9.6	100	<LOQ	Propiconazole	2.9400E-1	9.6	100	<LOQ
Diazinon	2.1200E-1	9.6	100	<LOQ	Propoxur	1.0000E-1	9.6	100	<LOQ
Dichlorvos	1.1300E+0	9.6	100	<LOQ	Pyridaben	1.4000E-1	9.6	100	<LOQ
Dimethoate	6.3000E-2	9.6	100	<LOQ	Spinetoram	4.2400E-1	9.6	100	<LOQ
Dimethomorph	2.5810E+0	9.6	100	<LOQ	Spiromesifen	1.2000E-1	9.6	100	<LOQ
Ethoprophos	1.5100E-1	9.6	100	<LOQ	Spirotetramat	2.1100E-1	9.6	100	<LOQ
Etofenprox	1.7200E-1	9.6	100	<LOQ	Spiroxamine	5.3300E-1	9.6	100	<LOQ
Etoxazole	8.6600E-1	9.6	100	<LOQ	Tebuconazole	2.3000E-1	9.6	100	<LOQ
Fenhexamid	5.8800E-1	9.6	100	<LOQ	Thiacloprid	1.7000E-1	9.6	100	<LOQ
Fenoxycarb	2.7400E-1	9.6	100	<LOQ	Thiamethoxam	1.7900E-1	9.6	100	<LOQ
Fipronil	3.1700E-1	9.6	100	<LOQ	Trifloxystrobin	1.3400E-1	9.6	100	<LOQ
Flonicamid	4.6600E-1	9.6	100	<LOQ					

Aixia Sun

Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "*" are not ISO/IEC 17025:2017 accredited test results.

