



Sample ID: SD2502B-005 (N756d)		Matrix: Editable	
Tested for: Road Trip Co			
Sample -		Received: Feb 18, 2025	
Activities executed: MBMG, MTO, PES, MHE, 4AD, PSY		Unit Mass (g): 28.058	Reported: Apr 14, 2025
		Net wt. of Servings: 8	
		Serving Size (g): 8.5	

Laboratory note: COA Lydiate: 4/14/25 - Removed Residual Solvents. Res. Lits.

Applied Feb 12, 2025 | Instrument HPLC VWD | Method 50P-4AD

The expanded Uncertainty of the 4AD Triptamine analysis is approximately $\pm 7.80\%$ of the 95% Confidence Level.

Analyte	LOD ppm	LOQ ppm	Result %	Result mg/g	Result mg/Serving	Result mg/Unit
Mescaline (MESC)	0.10	0.584	ND	ND	ND	ND
N,N-Dimethyltryptamine (DMT)	0.015	0.048	ND	ND	ND	ND
Psilocybin (PSLA)	0.015	0.044	ND	ND	ND	ND
4-Hydroxy-DET (4HDE)	0.014	0.042	ND	ND	ND	ND
4-Acetoxy-MET (4AME)	0.018	0.058	ND	ND	ND	ND
4-Acetoxy-DET (4ADE)	0.004	0.011	ND	ND	ND	ND
4-Bromo-DMT (2C-B)	0.19	0.576	ND	ND	ND	ND

Applied Feb 12, 2025 | Instrument HPLC VWD | Method SOP-REV

The expanded Uncertainty of the Palicoubin & Palicoulin analysis is approximately $\pm 7.80\%$ at the 95% Confidence Level

Analyte	LOD ppm	LOQ ppm	Result %	Result mg/g	Result mg/ Serving	Result mg/ Unit
Polycyclic (PSC)	0.007	0.019	ND	ND	ND	ND
Polycyclic (PSC)	0.001	0.009	ND	ND	ND	ND

Approved Feb 21, 2025 | Instrument ICP-MS/MS | Method SOP-005

Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g
Arsenic (As)	0.0009	0.0027	ND	1.5
Cadmium (Cd)	0.0005	0.0015	ND	0.5
Mercury (Hg)	0.0058	0.0174	ND	3
Lead (Pb)	0.0006	0.0018	0.01	0.5

Analized Feb 18, 2025 | Instrument: Platina | Method: SOP-002

Analyte	LOD CFU/g	LOQ CFU/g	Result CFU/g	Limit CFU/g
Shiga toxin-producing <i>Escherichia Coli</i>	1.0	1.0	ND	
<i>Salmonella</i> spp.	1.0	1.0	ND	

Amplified Feb 20, 2025 | Instrument LC/MSMS | Method SGP-004

Analyte	LOD ug/kg	LOQ ug/kg	Result ug/kg	Limit ug/kg	Analyte	LOD ug/kg	LOQ ug/kg	Result ug/kg	Limit ug/kg
Ochratoxin A	5.0	20.0	ND	30	Aflatoxin B1	2.5	5.0	ND	-
Aflatoxin B2	2.5	5.0	ND	-	Aflatoxin G1	2.5	5.0	ND	-
Aflatoxin G2	2.5	5.0	ND	-	Total Aflatoxins	10.0	20.0	ND	20

UI Unidentified
ND Not Detected
N/A Not Applicable
NR Not Reported
LOD Limit of Detection
LOQ Limit of Quantification
LLOQ Detected
ULOD Above upper limit of linearity
CFU/g Colony Forming Units per gram
TTC/TTC Aggregates to Count



DCC license: CB-0000098-LIC
DEA license: RP0611043
ISO/IEC 17025:2017 Acc. 85368



Scan the QR code to verify authenticity.

Authorized Signature _____

Brandon Stahl

Brandon Starr, Quality Assurance Manager
Mon, 14 Apr 2025 15:45:34 -0700

PharmLabs San Diego | 3421 Hancock St., Second Floor, San Diego, CA 92110 | 619.356.0898 | ISO/IEC 17025:2017 Acc. 85568



*This report shall not be reproduced except in full, without the written approval of the lab. This report is for informational purposes only and should not be used to diagnose, treat or prevent any disease. Results are only for samples and batches indicated. Results are reported on an "as received" basis, unless indicated otherwise, when a Federal class is reported, that status is intended to be in accordance with Federal, state and local laws which are required for the customer to be in compliance. The measurement of uncertainty, a not used and the results of the analysis are not directly required by Federal, state or local laws and are reported on the certificate of analysis. Measurement of uncertainty is available upon request.

PES - Pesticides

Analyzed Feb 21, 2025 | Instrument LC/MSMS GC/MSMS | Method SOP-008

Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g	Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g
Aldicarb	0.01	0.02	ND		Carbofuran	0.01	0.02	ND	
Dimethoate	0.01	0.02	ND		Chlorpyrifos	0.02	0.1	ND	
Fenoxycarb	0.01	0.02	ND		Thiodiazinon	0.01	0.02	ND	
Dinoseb	0.01	0.05	ND		Dichlorvos	0.02	0.07	ND	
Imazalil	0.02	0.07	ND		Methidathion	0.01	0.02	ND	
Spiraxamine	0.01	0.02	ND		Carbamates	0.01	0.02	ND	
Eprothi	0.01	0.1	ND		Permethrin	0.01	0.02	ND	
Chlorpyrifos	0.01	0.04	ND		Biothiazinon (Propox)	0.01	0.02	ND	
Biothiazinon (Propox)	0.01	0.02	ND		Chlorpyrifos	0.04	0.1	ND	
Chlorpyrifos	0.03	0.1	ND		Methyl Parathion	0.02	0.1	ND	
Hevinphos	0.03	0.08	ND		Azinphos	0.03	0.08	ND	
Acetophate	0.02	0.05	ND		Acetamiprid	0.01	0.05	ND	
Acetamiprid	0.01	0.02	ND		Bifenoxate	0.01	0.05	ND	
Bifenoxate	0.02	0.35	ND		Besalate	0.01	0.03	ND	
Carbaryl	0.01	0.02	ND		Chlorantraniliprole	0.01	0.04	ND	
Chlorantraniliprole	0.01	0.05	ND		Dechloran	0.01	0.02	ND	
Dimethomorph	0.02	0.06	ND		Disulfoton	0.01	0.05	ND	
Fenprothion	0.02	0.1	ND		Flonicamid	0.01	0.02	ND	
Flonicamid	0.01	0.05	ND		Hevinthiazox	0.01	0.03	ND	
Imidacloprid	0.01	0.05	ND		Kresoxin-methyl	0.01	0.03	ND	
Metolachlor	0.01	0.05	ND		Metolachlor	0.01	0.02	ND	
Methomyl	0.02	0.05	ND		Myclobutanil	0.02	0.07	ND	
Naled	0.01	0.02	ND		Oxamyl	0.01	0.02	ND	
Permethrin	0.01	0.02	ND		Phosmet	0.01	0.02	ND	
Piperonyl Butoxide	0.02	0.06	ND		Propiconazole	0.03	0.08	ND	
Pyrethrin	0.02	0.05	ND		Pyrethrin	0.05	0.41	ND	
Pyriproxyfen	0.02	0.07	ND		Spiromesifen	0.01	0.05	ND	
Spiromesifen	0.01	0.05	ND		Tebuconazole	0.02	0.06	ND	
Spirotetramat	0.01	0.02	ND		Trifluoxystrobin	0.01	0.02	ND	
Thio methoxam	0.01	0.02	ND		Cyfluthrin	0.01	0.02	ND	
Acequimecyl	0.02	0.09	ND		Cyfluthrin	0.04	0.1	ND	
Cypermethrin	0.02	0.1	ND		Spiromesifen	0.02	0.07	ND	
Fenoxycarb	0.02	0.07	ND						
Pentachloronitrobenzene	0.01	0.1	ND						

Unidentified
ND Not Detected
N/A Not Applicable
NT Not Reported
LOQ Limit of Detection
LOQ Limit of Quantification
LOQ Detected
HPLC Above upper limit of linearity
CP/ug Colony Forming Units per 1 gram
TNT/CT too Numerous to Count



DCC License: C8-0000098 LIC
DEA License: RPO41043
ISO/IEC 17025:2017 Acc: 85568



Scan the QR code to verify authenticity.

Authorized Signature:

Brandon Stahl

Brandon Stahl, Quality Assurance Manager
Mon, 14 Apr 2025 11:45:34 -0700

PharmWare
LABORATORY LIMS & ELN

PharmWare San Diego | 3421 Hancock St, Second Floor, San Diego, CA 92110 | 619.356.0898 | ISO/IEC 17025:2017 Acc: 85568

*This report shall not be reproduced except in full, without the written approval of the lab. This report is for informational purposes only and should not be used to diagnose, treat or prevent any disease. Results are only for samples and batches indicated. Results are reported as the mean of two determinations unless explicitly reported by the customer. Results are reported on the certificate of analysis. The name of the laboratory is available upon request.