

PDG Love Gummies

Sample ID: 2604AFL0700.2405

Internal Lab ID: ATL-36268

Client

Strain: Love Gummies

Tillmans Tranquils

Matrix: Ingestible

Received: 04/30/2026

Lic. #

Type: Soft Chew

Completed: 05/18/2026

4757 sw 51st street Davie, FL 33314

Unit Weight: 5.9406 g

Batch#: PDG-Love-4-1

Davie, FL 33314



Summary

Test	Date Tested	Result
Batch		Pass
Cannabinoids	05/04/2026	Complete
Residual Solvents	05/14/2026	Pass
Microbials	05/15/2026	Pass
Mycotoxins	05/18/2026	Pass
Pesticides	05/18/2026	Pass
Heavy Metals	05/14/2026	Pass
Foreign Matter	05/15/2026	Pass

Basic Potency

Complete

0.095%

Total THC

0.433%

Total CBD

0.528%

Total Cannabinoids

Analyte	LOD	LOQ	Result	Result	Analyte	LOD	LOQ	Result	Result
	%	%	%	mg/unit		%	%	%	mg/unit
CBDVa	0.001	0.003	ND	ND	9S-HHC	0.001	0.004	ND	ND
CBDV	0.001	0.003	ND	ND	9R-HHC	0.001	0.004	ND	ND
CBDa	0.001	0.003	ND	ND	Δ9-THCH	0.001	0.003	ND	ND
CBGa	0.001	0.003	ND	ND	Δ8-THCH	0.001	0.004	ND	ND
CBG	0.001	0.003	ND	ND	Δ9-THCP	0.001	0.003	ND	ND
CBD	0.001	0.003	0.433	25.72	Δ8-THCP	0.001	0.003	ND	ND
THCV	0.001	0.003	ND	ND	Δ8-THCO	0.001	0.003	ND	ND
Δ8-THCV	0.001	0.004	ND	ND	Δ9-THCO	0.001	0.003	ND	ND
THCVa	0.001	0.003	ND	ND	9(S)-HHCP	0.001	0.004	ND	ND
CBN	0.001	0.003	ND	ND	9(R)-HHCP	0.001	0.004	ND	ND
Δ9-THC	0.001	0.003	0.095	5.64	11-Hydroxy-THC	0.001	0.003	ND	ND
Δ8-THC	0.001	0.003	ND	ND	1(S)-H4-CBD	0.001	0.004	ND	ND
(6aR,9S)-d10-THC	0.001	0.004	ND	ND	1(R)-H4-CBD	0.001	0.004	ND	ND
(6aR,9R)-d10-THC	0.001	0.004	ND	ND	Δ9-THCB	0.001	0.003	ND	ND
CBC	0.001	0.003	ND	ND	Δ8-THCB	0.001	0.004	ND	ND
CBCa	0.001	0.003	ND	ND	CBDp	0.001	0.004	ND	ND
THCa	0.001	0.003	ND	ND	Total			0.528	31.37

Document ID: CoA-1 Potency Rev. 6, Test Method: TM-2

Date Tested: 05/04/2026

Equations: Total Active THC = 9THC + (0.877 * THCA), Total Active CBD = CBD + (0.877 * CBDA), Potency via HPLC

NT
Not Tested
Document ID:
Moisture Content

NT
Not Tested
Document ID:
Water Activity

Pass
Document ID: CoA-4 Foreign Matter Rev. 2, Test Method: TM-4.3
Foreign Matter




Lise Berthe-Laurent
Laboratory Director
05/18/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



Abbreviations: LOQ = Limit of Quantification, LOD = Limit of Detection, ND = Not Detected, NT = Not Tested, ppm = Parts per Million, ppb = Parts per Billion, CFU/g = Colony Forming Units per Gram.

This report shall not be reproduced without written approval of Accurate Test Labs and results are confidential unless disclosure is explicitly authorized. Results relate only to the samples and batches tested. Test results are for informational purposes only and Accurate Test Labs makes no claims as to the safety or risks associated with this product. Pass/Fail results reflect compliance with applicable federal, state, tribal and local regulations unless otherwise specified. The measurement of uncertainty is not included unless explicitly required by law and is available upon request. Testing was performed using validated methodologies and is accredited pursuant to ISO/IEC 17025:2017.

PDG Love Gummies

Sample ID: 2604AFL0700.2405

Internal Lab ID: ATL-36268

Client

Strain: Love Gummies

Tillmans Tranquils

Matrix: Ingestible

Received: 04/30/2026

Lic. #

Type: Soft Chew

Completed: 05/18/2026

4757 sw 51st street Davie, FL 33314

Unit Weight: 5.9406 g

Batch#: PDG-Love-4-1

Davie, FL 33314


Pesticides

Pass

Analyte	LOD	LOQ	Limit	Result	Status	Analyte	LOD	LOQ	Limit	Result	Status
	PPB	PPB	PPB	PPB			PPB	PPB	PPB	PPB	
Abamectin	13.280	39.840	300	ND	Pass	Fludioxonil	1.350	4.040	3000	ND	Pass
Acephate	13.710	41.120	3000	ND	Pass	Hexythiazox	1.330	4.000	2000	ND	Pass
Acequinocyl	1.350	4.040	2000	ND	Pass	Imazalil	13.430	40.280	100	ND	Pass
Acetamiprid	1.350	4.060	3000	ND	Pass	Imidacloprid	13.570	40.720	3000	ND	Pass
Aldicarb	13.280	39.840	100	ND	Pass	Kresoxim Methyl	13.600	40.800	1000	ND	Pass
Azoxystrobin	1.340	4.020	3000	ND	Pass	Malathion	13.570	40.720	2000	ND	Pass
Bifenazate	1.350	4.050	3000	ND	Pass	Metalaxyl	1.340	4.020	3000	ND	Pass
Bifenthrin	1.330	3.990	500	ND	Pass	Methiocarb	1.340	4.030	100	ND	Pass
Boscalid	1.350	4.040	3000	ND	Pass	Methomyl	13.470	40.400	100	ND	Pass
Captan	100.580	33.530	3000	ND	Pass	Mevinphos	13.510	40.520	100	ND	Pass
Carbaryl	13.600	40.800	500	ND	Pass	Myclobutanil	1.330	3.980	3000	ND	Pass
Carbofuran	1.330	3.990	100	ND	Pass	Naled	13.430	40.280	500	ND	Pass
Chlorantraniliprole	13.410	40.240	3000	ND	Pass	Oxamyl	13.470	40.400	500	ND	Pass
Chlordane	6.730	20.160	100	ND	Pass	Paclobutrazol	1.350	4.050	100	ND	Pass
Chlorfenapyr	13.400	40.200	100	ND	Pass	Parathion Methyl	13.520	40.560	100	ND	Pass
Chlormequat Chloride	13.520	40.560	3000	ND	Pass	Pentachloronitrobenzene	6.690	20.060	200	ND	Pass
Chlorpyrifos	13.370	40.120	100	ND	Pass	Permethrin	1.340	4.010	1000	ND	Pass
Clofentazine	1.350	4.060	500	ND	Pass	Phosmet	13.470	40.400	200	ND	Pass
Coumaphos	1.360	4.070	100	ND	Pass	Piperonyl Butoxide	1.340	4.020	3000	ND	Pass
Cyfluthrin	16.730	33.450	1000	ND	Pass	Prallethrin	13.470	40.400	400	ND	Pass
Cypermethrin	16.740	33.470	1000	ND	Pass	Propiconazole	1.350	4.040	1000	ND	Pass
Daminozide	13.320	39.960	100	ND	Pass	Propoxur	1.350	4.050	100	ND	Pass
Diazinon	1.340	4.010	200	ND	Pass	Pyrethrins			1000	ND	Pass
Dichlorvos	13.470	40.400	100	ND	Pass	Pyridaben	1.350	4.040	3000	ND	Pass
Dimethoate	1.350	4.060	100	ND	Pass	Spinetoram			3000	ND	Pass
Dimethomorph	1.340	4.020	3000	ND	Pass	Spinosad			3000	ND	Pass
Ethoprophos	1.340	4.010	100	ND	Pass	Spiromesifen	1.340	4.020	3000	ND	Pass
Etofenprox	13.450	40.360	100	ND	Pass	Spirotetramat	1.330	3.980	3000	ND	Pass
Etoxazole	1.340	4.010	1500	ND	Pass	Spiroxamine	1.330	3.990	100	ND	Pass
Fenhexamid	1.350	4.040	3000	ND	Pass	Tebuconazole	1.350	4.060	1000	ND	Pass
Fenoxycarb	1.350	4.040	100	ND	Pass	Thiacloprid	1.340	4.010	100	ND	Pass
Fenpyroximate	1.340	4.020	2000	ND	Pass	Thiamethoxam	1.330	3.980	1000	ND	Pass
Fipronil	1.360	4.070	100	ND	Pass	Trifloxystrobin	1.330	3.980	3000	ND	Pass
Flonicamid	1.330	4.000	2000	ND	Pass						

Document ID: CoA-2 Pesticides Rev. 1, Test Method: TM-1
Date Tested: 05/18/2026
Pesticide via LC-MS/MS and GC-MS/MS




Lise Berthe-Laurent
Laboratory Director
05/18/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



Abbreviations: LOQ = Limit of Quantification, LOD = Limit of Detection, ND = Not Detected, NT = Not Tested, ppm = Parts per Million, ppb = Parts per Billion, CFU/g = Colony Forming Units per Gram.

This report shall not be reproduced without written approval of Accurate Test Labs and results are confidential unless disclosure is explicitly authorized. Results relate only to the samples and batches tested. Test results are for informational purposes only and Accurate Test Labs makes no claims as to the safety or risks associated with this product. Pass/Fail results reflect compliance with applicable federal, state, tribal and local regulations unless otherwise specified. The measurement of uncertainty is not included unless explicitly required by law and is available upon request. Testing was performed using validated methodologies and is accredited pursuant to ISO/IEC 17025:2017.



Accurate Test Labs
1305 NW 65th Pl
Fort Lauderdale, FL 33309

(954) 515-0200
http://accuratetestlab.com

QA Testing

3 of 4

PDG Love Gummies

Sample ID: 2604AFL0700.2405

Internal Lab ID: ATL-36268

Client

Strain: Love Gummies

Tillmans Tranquils

Matrix: Ingestible

Received: 04/30/2026

Lic. #

Type: Soft Chew

Completed: 05/18/2026

4757 sw 51st street Davie, FL 33314

Unit Weight: 5.9406 g

Batch#: PDG-Love-4-1

Davie, FL 33314

Microbials

Pass

Analyte	LOD	Limit	Result	Status
	CFU/g	CFU/g	CFU/g	
Shiga Toxin-Producing E. coli	1	1	Not Detected in 1g	Pass
Aspergillus flavus	1	1	Not Detected in 1g	Pass
Aspergillus fumigatus	1	1	Not Detected in 1g	Pass
Aspergillus terreus	1	1	Not Detected in 1g	Pass
Aspergillus niger	1	1	Not Detected in 1g	Pass
Salmonella	1	1	Not Detected in 1g	Pass
Total Yeast & Mold	10	100000	ND	Pass

Document ID: CoA-3 Microbials Rev. 2, Test Method: TM-4.1, TM-4.2
Date Tested: 05/15/2026

Mycotoxins

Pass

Analyte	LOD	LOQ	Limit	Result	Status
	PPB	PPB	PPB	PPB	
Aflatoxin B1	1.35	4.04		ND	Tested
Aflatoxin B2	1.33	4.00		ND	Tested
Aflatoxin G1	1.35	4.04		ND	Tested
Aflatoxin G2	1.33	4.00		ND	Tested
Ochratoxin A	13.47	40.40	20.00	ND	Pass
Total Aflatoxins			20.00	ND	Pass

Document ID: CoA-7 Mycotoxins Rev. 1, Test Method: TM-1
Date Tested: 05/18/2026

Foreign Matter

Pass

Analyte	Limit	Result	Status
	% by weight	% by weight	
Mold, Mildew, Fungus, Hair, Or Insects	1% wt/wt or >10% total sample surface area	ND	Pass
Packaging Contaminants, Processing Waste, Or Other By-Products	1% wt/wt or >10% total sample surface area	ND	Pass
Feces	>0.5 mg/kg	ND	Pass
FM Other		ND	Pass

Document ID: CoA-4 Foreign Matter Rev. 2, Test Method: TM-4.3
Date Tested: 05/15/2026



Lise Berthe-Laurent
Laboratory Director
05/18/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



Abbreviations: LOQ = Limit of Quantification, LOD = Limit of Detection, ND = Not Detected, NT = Not Tested, ppm = Parts per Million, ppb = Parts per Billion, CFU/g = Colony Forming Units per Gram.

This report shall not be reproduced without written approval of Accurate Test Labs and results are confidential unless disclosure is explicitly authorized. Results relate only to the samples and batches tested. Test results are for informational purposes only and Accurate Test Labs makes no claims as to the safety or risks associated with this product. Pass/Fail results reflect compliance with applicable federal, state, tribal and local regulations unless otherwise specified. The measurement of uncertainty is not included unless explicitly required by law and is available upon request. Testing was performed using validated methodologies and is accredited pursuant to ISO/IEC 17025:2017.

PDG Love Gummies

Sample ID: 2604AFL0700.2405

Internal Lab ID: ATL-36268

Client

Strain: Love Gummies

Tillmans Tranquils

Matrix: Ingestible

Lic. #

Type: Soft Chew

Received: 04/30/2026

4757 sw 51st street Davie, FL 33314

Unit Weight: 5.9406 g

Completed: 05/18/2026

Davie, FL 33314

Residual Solvents

Pass

Analyte	LOD	LOQ	Limit	Result	Status	Analyte	LOD	LOQ	Limit	Result	Status
	PPM	PPM	PPM	PPM			PPM	PPM	PPM	PPM	
1,1-Dichloroethene		1.807	8	ND	Pass	n-Heptane		1.807	5000	ND	Pass
1,2-Dichloroethane		1.807	2	ND	Pass	Isobutane		1.816		ND	Tested
1,4-Dioxane		1.807		ND	Tested	Isopentane		0.602		ND	Tested
2,2-Dimethylbutane		0.361		ND	Tested	Isopropanol	26.576	500		ND	Pass
2,3-Dimethylbutane		0.361		ND	Tested	Isopropyl Acetate	1.807			ND	Tested
2-Butanol		1.807		ND	Tested	m-Xylene + p-Xylene	0.904			ND	Tested
2-Ethoxyethanol		3.614		ND	Tested	Methanol	18.051	250	<18.051	Pass	
2-Methylpentane		0.361		ND	Tested	Methylene Chloride	1.807	125		ND	Pass
3-Methylpentane		0.361		ND	Tested	n-Butane	0.905			ND	Tested
Acetone		1.807	750	ND	Pass	n-Hexane	0.361			ND	Tested
Acetonitrile	17.958	60		ND	Pass	n-Pentane	0.602			ND	Tested
Benzene	0.018	1		ND	Pass	Neopentane	0.600			ND	Tested
Chloroform	0.072	2		ND	Pass	o-Xylene	0.452			ND	Tested
Cumene	1.807			ND	Tested	Propane	7.279	5000		ND	Pass
Cyclohexane	1.807			ND	Tested	Tetrahydrofuran	1.807			ND	Tested
Ethanol	37.403	5000		ND	Pass	Toluene	2.200	150		ND	Pass
Ethyl Acetate	10.284	400		ND	Pass	Trichloroethene	1.807	25		ND	Pass
Ethylbenzene	0.452			ND	Tested	Hexanes		250		ND	Pass
Ethyl Ether	1.807	500		ND	Pass	Butanes		5000		ND	Pass
Ethylene Glycol	57.822			ND	Tested	Pentanes		750		ND	Pass
Ethylene Oxide	1.813	5		ND	Pass	Xylenes	12.000	150		ND	Pass

Document ID: CoA-6 Residual Solvents Rev. 2, Test Method: TM-3

Date Tested: 05/14/2026

Residual Solvents via HS-GC-MS

Heavy Metals


Pass

Analyte	LOD	LOQ	Limit	Result	Status
	PPB	PPB	PPB	PPB	
Arsenic	17	48	1500	ND	Pass
Cadmium	17	48	500	ND	Pass
Lead	17	48	500	ND	Pass
Mercury	17	48	3000	ND	Pass

Document ID: CoA-5 Heavy Metals Rev. 1, Test Method: TM-9

Date Tested: 05/14/2026




Lise Berthe-Laurent
Laboratory Director
05/18/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



Abbreviations: LOQ = Limit of Quantification, LOD = Limit of Detection, ND = Not Detected, NT = Not Tested, ppm = Parts per Million, ppb = Parts per Billion, CFU/g = Colony Forming Units per Gram.

This report shall not be reproduced without written approval of Accurate Test Labs and results are confidential unless disclosure is explicitly authorized. Results relate only to the samples and batches tested. Test results are for informational purposes only and Accurate Test Labs makes no claims as to the safety or risks associated with this product. Pass/Fail results reflect compliance with applicable federal, state, tribal and local regulations unless otherwise specified. The measurement of uncertainty is not included unless explicitly required by law and is available upon request. Testing was performed using validated methodologies and is accredited pursuant to ISO/IEC 17025:2017.